# 2.4GHz RF Wireless Presenter

# **User’s Manual**

## ABOUT THIS MANUAL

This manual is designed for use with the 2.4GHz RF Wireless Presenter. Information in this document has been carefully checked for accuracy; however, no guarantee is given to the correctness of the contents. The information in this document is subject to change without notice. The manufacturer does not make any representations or warranties (implied or otherwise) regarding the accuracy and completeness of this document and shall in no event be liable for any loss of profit or any commercial damage, including but not limited to special, incidental, consequential, or other damage.

## SAFETY INSTRUCTIONS

Always read the safety instructions carefully:

- Keep this User's Manual for future reference
- Keep this equipment away from humidity
- If any of the following situation arises, get the equipment checked by a service technician:
  - The equipment has been dropped and damaged.
  - The equipment has obvious sign of breakage.
  - The equipment has not been working well or you cannot get it to work according to the User's Manual.

## COPYRIGHT

This document contains proprietary information protected by copyright. All right are reserved. No part of this manual may be reproduced by any mechanical, electronic or other means, in any form, without prior written permission of the manufacturer.

## TRADEMARKS

All trademarks and registered trademarks are the property of their respective owners or companies.

**CAUTION**：Laser radiation

Do not stare into beam!

# Table of Contents

**1. Introduction ..... 1**
Features ..... 1
Package Contents ..... 2
System Requirement ..... 2
Software and operation system support ..... 2

**2. Installation ..... 3**

**3. Using the Presenter ..... 4**

**4. Specifications ..... 6**

**5. Regulatory Compliance ..... 7**
FCC Conditions ..... 7
CE ..... 7
WEEE Information ..... 7

# 1. Introduction

This **2.4GHz RF Wireless Presenter** will offer you increased control for more effective presentations. Please read this manual to learn valuable information about the proper use and installation.

With this Wireless Presenter, you don’t need to stand beside your computer or have an additional person click the slide for you, nor do you need to aim at the receiver of the remote control.

It is a special design presentation tool, its USB receiver is designed slim enough to snap into the main body of the Wireless Presenter.

It is the mixed of RF wireless control of PowerPoint keyboard shortcuts and the laser point. This device enables the user to control presentation slides wirelessly up to 15 meters away indoors, while the laser pointer up to over 15 meters from the target.

It is a USB plug-and-play device with no additional software required. The safety switch provides protection against unintentional laser beam into human eyes.

## Features

- USB receiver stores conveniently inside the remote
- Up to 15 meters of wireless range
- Built-in laser pointer
- Compatible with most presentation applications including Microsoft PowerPoint, Keynote, Open office and Staroffice.
- Next slide, previous slide buttons
- Screen-hide button
- No software required
- Plug & play

# Package Contents

Before installation, please check the items in the package. The package should contain the following items:

- 2.4GHz RF Wireless Presenter x1
  (With USB receiver)
- AAA Battery x1
- User's Manual x1

# System Requirement

- Windows 2000 32-bit, 2003 64-bit, XP 32/64-bit, Vista 32/64-bit,
  Mac OS X v10.4, 10.5 or later
- The Wireless Presenter interface with the computer hardware is through the USB dongle

# Software and operation system support

- After testing, you can use following softwares on these operation system support.

| | | | **Software** | | | | |
|---|---|---|---|---|---|---|---|
| **Operation System** | | | Power Point 2007 | Keynote | Openoffice | Staroffice 8 | Staroffice beta 9 |
| Windows | 2000 | 32-bit | O | | O | | |
| | 2003 | 64-bit | O | | O | | |
| | XP | 32-bit | O | | O | O | O |
| | XP | 64-bit | O | | O | O | O |
| | Vista | 32-bit | O | | O | O | O |
| | Vista | 64-bit | | | O | O | O |
| Mac | 10.4 | | | O | O | | |
| | 10.5 | | | O | O | | |
| | 10.5 | Intel CPU only | | | | | O |

# 2. Installation



# 3. Using the Presenter

## **Step 1:** Open the battery cover on the back and insert the battery.

**Notes on battery**

- Do not insert battery into the Mini Presenter in the wrong direction.
- Do not leave dead or exhausted battery in the Mini Presenter.
- If you do not use the Wireless Presenter for a long period of time, remove the battery to avoid possible damage from battery corrosion.
- If the Wireless Presenter does not function correctly or if the operating range becomes reduced, try to replace the battery with new one.

## **Step 2:** Take out the USB receiver attached on the top and plug it into an available USB port.

Plug the USB Receiver into your computer's USB port. You may also use the spare USB port on your keyboard or a USB port on a hub connected to your computer.

You do not need to turn off your computer before connecting or disconnecting a USB device.

The operation system identifies the receiver, prompts" USB Human Interface Device" and begins installation automatically. Please follow the instruction on the screen to complete the installation procedure.

# **Step 3:** The function of the keys

| Key | Function |
|---|---|
| ⏯ | Click to start the slide show / exit the slide show |
| < | Previous Slide (Page Up) |
| > | Next Slide (Page Down) |
| | Alt + Tab |
| | Turn the presentation screen to all black |
| □ | Laser beam |

# 4. Specifications

| | |
|---|---|
| Programmable Data Rate | Up to 500 Kbps |
| Compliance | USB1.1 & USB 2.0 |
| Operating Systems | Windows 2000,2003, XP & Vista<br>Mac OS X v10.4 , 10.5 or later |
| RF Band | 2.4 GHZ |
| Max Distance | 15 meters |
| Power Supply | 1 AAA 1.2V battery |
| USB RF Dongle | USB Type A Plug |
| Size (Lx W x H) | 105 x 30 x 19.5 mm |
| Housing Material | Plastic (ABS) |
| weight | 120g |
| Operation temperature | 10 ~ 40 degree ˚C |
| Storage temperature | -10 ~ 80 degree ˚C |
| Certification | FCC, CE |

* Specification is subject to change without notice

# 5. Regulatory Compliance

## FCC Conditions

This equipment has been tested and found to comply with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference

(2) This device must accept any interference received. Including interference that may cause undesired operation.

**Important!** Changes or modifications not expressly approved by the manufacturer responsible for compliance could void the user's authority to operate the equipment. Use an approved phone set.

## CE

This equipment is in compliance with the requirements of the following regulations: EN 55 022: CLASS B

## WEEE Information

For EU (European Union) member users:
According to the WEEE (Waste electrical and electronic equipment) Directive, do not dispose of this product as household waste or commercial waste. Waste electrical and electronic equipment should be appropriately collected and recycled as required by practices established for your country. For information on recycling of this product, please contact your local authorities, your household waste disposal service or the shop where you purchased the product.